



Alu-Twist™

Let's Twist Again! Enjoy an upbeat summer with Alu-Twist. Because this practical aluminium sunshade is quick and easy to use. But be careful: It turns heads with its looks.

Don't be dazzled by its attractive appearance. Alu-Twist will convince you by its inner qualities. It's, indeed, a brilliant construction that has this sunshade work perfectly even after many years. The pole and rods are made of corrosion-free material, the operating parts are produced using ingenious technology.

Using it is also a lot of fun. A crank opens and closes Alu-Twist. Rotate the upper part of the crank housing and, then, move the sunshade progressively and without intermediate steps to the desired position. And all this from the comfort of your own sun lounger.

You noticed the rectilinear, harmonious sunshade at first glance. And now, knowing the qualities of Alu-Twist, you can safely give in to your infatuation.



Alu-Push™

“A small sunshade, what use is that?” you may ask yourself. But wait. Before you spurn Alu-Push, you should know that all sorts of things can be packed into a small sunshade. Perfect quality, for example, which guarantees that the sunshade will still be there for problem-free use for years to come.

With its practical dimensions, Alu-Push is the ideal sunshade for small places such as balconies. It will no doubt be up to your exacting expectations. It can, indeed, be tilted left or right depending on the position of the sun and your individual needs. Naturally, it also adjusts to the height you require.

It's not just the high-quality workmanship that allows you to enjoy Alu-Push for years to come. There is more to it. The materials are automatically tautened thanks to the self-tautening rod ends. As you see, an Alu-Push should never be underestimated.



Alu-Style™

There's no accounting for taste – style, however, is a different matter. The proof: People with style are respected wherever they go. It's the same with our Alu-Style. It captivates with excellent manners, and can be admitted to the best company.

Who is the man that does not dream to live from day to day in style and not just in a commonplace way? The sun's smile helps to make this dream come true. And under its rays we can proudly show our style with an Alu-Style. Its fresh design and the wind outlet contribute their fashionable share.

We assure you that Alu-Style will captivate from afar and invite people to get shelter and enjoy life in great comfort under its cover. You open and close the sunshade with the crank, as is right and proper.

The Alu-Style makes a polite click when the sun shines from the side. The technically perfect tilt joint takes care of that, allowing you to adjust the tilt of the sunshade to the left or right. After all, that's what you would expect from a sunshade with style.

Alu-Twist™
Alu-Push™
Alu-Style™



Alu-Twist



Alu-Push



Alu-Style



Alu-Push

Alu-Twist, Alu-Push
 and Alu-Style.
 Practical, tough and attractive.



Materials and technology: Alu-Twist: The frame is made of aluminium with a profiled pole, a crank and a twist mechanism for stepless tilting. The cover is replaceable and self-tautening thanks to the flexible rod ends. Alu-Push: The frame is made of aluminium with a profiled pole and stepless height adjustment with tilt joint. The cover is replaceable and self-tautening thanks to the flexible rod ends. Alu-Style: The frame is made of powder-coated aluminium, with a crank, a tilt joint and a wind outlet.

How to operate: Alu-Twist: The crank allows you to open and close the sunshade without any problem. The shade roof can be tilted without intermediate steps using the twist mechanism "Twist" on the crank housing. Alu-Push: Simply push the roof upwards until the mechanism clicks into place and the sunshade is already open. Now, you can tilt the roof using the tilt joint. Of course, also the height can be adjusted. Alu-Style: Open and close the Alu-Style with the crank. The sunshade roof can be tilted using the tilt joint.

Winter storage: Store in the protective cover in a dry place that is protected from the wind.

Fixing options: 40 kg synthetic-coated anthracite concrete base with screwed-in tube, 40 kg metal base with screwed-in tube, 55 kg square natural granite base with castors, ground socket with support tube.

Accessories: Protective cover with zip and rod, Osyrion accu light.

Advertising imprint: Individual imprints are possible for the Alu-Twist and Alu-Push.




Alu-Push, knob for height adjustment



Flexible rod end



Tilt joint



Crank mechanism



40 kg synthetic-coated anthracite concrete base



40 kg metal base



55 kg natural granite base with castors



Ground socket with support tube



Osyrion accu light



Protective cover with zip and rod

Sizes and weights

| | |
|-------------------------------|----------------------|
| Alu-Twist 8 piece round | ø 270 / 300 / 330 cm |
| Alu-Twist 8 piece square | 240 x 240 cm |
| Alu-Twist 6 piece rectangular | 250 x 200 cm |
| Max. height | 266 cm |
| Weight | approx. 8 kg |

| | |
|------------------------------|--------------------------|
| Alu-Push 6 piece round | ø 200 cm |
| Alu-Push 8 piece round | ø 220 / 250 / 270 cm |
| Alu-Push 8 piece square | 240 x 240 cm |
| Alu-Push 6 piece rectangular | 210 x 150 / 250 x 200 cm |
| Max. height | 262 cm |
| Weight | approx. 8 kg |

| | |
|-------------------------|----------------|
| Alu-Style 8 piece round | ø 300 / 330 cm |
| Max. height | 266 cm |
| Weight | approx. 8 kg |

Material qualities and colours*

| | |
|--|---------|
| Alu-Twist and Alu-Push | |
| 100 % polyester approx. 220 g/m ² | |
| colours 143 / 149 / 150 / 151 / 160 | |
| Sun protection factor | UPF 50+ |
| 100 % polyester approx. 270 g/m ² colours 400 – 499 | |
| Sun protection factor | UPF 50+ |
| 100 % acrylic approx. 300 g/m ² colours 500 – 699 | |
| Sun protection factor | UPF 50+ |
| Alu-Style | |
| 100 % polyester approx. 180 g/m ² | |
| colours 040 / 042 / 044 / 047 / 060 | |
| Sun protection factor | UPF 50+ |

*) see also pages 78 – 81

Frame

| | |
|------------------------|------------------------------------|
| Alu-Twist and Alu-Push | aluminium anodized natural |
| Alu-Style | aluminium anthracite powder-coated |

International rights for protection
 Alu-Twist, © Design reg. DM/129 903 DM/035 353
 Alu-Push, © Design reg. DM/035 353
 Alu-Style, © Design reg. DM/129 903



Alu-Top™


In business and sport alike, only top performers win. Why shouldn't this be true of sunshades as well? Glatz is convinced it is. And Alu-Top is a perfect expression of this philosophy.

The name says it all. Alu-Top captivates with its excellent performances. A simple glance at its skills will do. Let's take the counter-rotating opening principle that allows the user to open and close the sunshade without any waste of energy. Or simply look at the roof construction. The rod ends tauten automatically. This considerably prolongs the lifespan and your satisfaction with Alu-Top.

By the way, Alu-Top also provides shade. Of course it carries this off with great success. It has no problems filtering out harmful UV rays, thanks to its sun protection factor of 50+. Which of course keeps you healthy.

As a top player, Alu-Top goes also into the lead in the race for the best price/performance ratio. As you can see, this sunshade does live up to its name.

Alu-Top™



Alu-Top for
high-performance sun protection.



Materials and technology: Frame of aluminium with counter-rotating opening principle and profiled pole in two parts. The cover is replaceable and self-tautening thanks to the flexible rod ends.

How to operate: Simply slide the fixing knob downwards, and the sunshade opens up. This is possible with a minimal amount of effort thanks to the counter-rotating principle.

Winter storage: Store on the spot in the protective cover, protected from the wind or, dismantled, in a dry and sheltered place.

Fixing options: Shade base M2 for 8 slabs and support tube, Pendalex ground socket with adapter M2 and support tube, ground socket M4 with adapter disc M2 and support tube, mounting plate M4 with adapter disc M2 and support tube.

Accessories: Protective cover with zip and rod.

Advertising imprint: Individual imprints are possible.



Fixing knob



Flexible rod end



Aluminium frame



Shade base M2 (8 slabs), support tube



Ground socket M4, adapter disc M2, support tube



Mounting plate M4, adapter disc M2, support tube



Protective cover with zip and rod

Sizes and weights

| | |
|-------------------|----------------|
| 8 piece round | ø 350 / 400 cm |
| 8 piece square | 330 x 330 cm |
| Height underneath | 210 cm |
| Max. height | 343 cm |
| Weight | approx. 25 kg |

Material qualities and colours*

| | |
|--|-------------------------------------|
| 100 % polyester approx. 220 g/m ² | colours 143 / 149 / 150 / 151 / 160 |
| Sun protection factor | UPF 50+ |
| 100 % polyester approx. 270 g/m ² | colours 400 – 499 |
| Sun protection factor | UPF 50+ |
| 100 % acrylic approx. 300 g/m ² | colours 500 – 699 |
| Sun protection factor | UPF 50+ |

*) see also pages 78 – 81

Frame

aluminium graphite grey powder-coated

International rights for protection
Alu-Top, © Design reg. DM/035 353